

# Rhodora

JOURNAL OF THE  
NEW ENGLAND BOTANICAL CLUB

---

ROLLA M. TRYON, Editor-in-Chief  
HARMONY SPONGBERG, Managing Editor

Associate Editors

ALFRED LINN BOGLE  
STEPHEN A. SPONGBERG  
GERALD J. GASTONY  
RICHARD E. WEAVER

GARRETT E. CROW  
NORTON G. MILLER  
DONALD H. PFISTER  
ROBERT T. WILCE

---

VOLUME 80

1978

---

The New England Botanical Club, Inc.  
Botanical Museum, Oxford Street, Cambridge, Mass. 02138



# INDEX TO VOLUME 80

New scientific names are printed in **bold face**

- Adams, Robert P., See Kelley, Walter A.  
Addition to the flora of the Gaspé Peninsula 154
- Agarics II, Studies on New England 404-416
- Albion R. Hodgdon, Obit. 599-604
- Analysis of isozyme variation in natural populations of *Juniperus ashei* 107-134
- Aster 453-490; comparison of morphological measurements for taxa recognized in sect. *Multiflori* 456; comparison of relative height and number of disk florets per head 457; comparison of relative height of head with type of inflorescence 459; significance of stem pubescence in *ericoides* ssp. *pansus* 469, *falcatus* ssp. *commutatus* 471
- Aster 319-357; *ericoides* 328, ssp. *ericoides* 330, ssp. **pansus** stat. nov. 335; *falcatus* 338, ssp. **commutatus** stat. & comb. nov. 340, ssp. *falcatus* 339; reported hybrids 345-349
- Aster section *Multiflori* (Asteraceae) I. Nomenclatural review and formal presentation of taxa, The taxonomy of 319-357
- Aster section *Multiflori* (Asteraceae) II. Biosystematic investigations, The taxonomy of 453-490
- Bacon, John D., Taxonomy of *Nerisyerenia* (Cruciferae) 159-227
- Bartolotta, Robert J., See Stuckey, Ronald L. and John R. Wehrmeister
- Basiacladia chelonum* (Collins) Hoffman & Tilden and *Basiacladia crassa* Hoffman & Tilden (Cladophorales) in southern Illinois 441-443
- Baskin, Carol C., See Baskin, Jerry M.
- Baskin, Jerry M. and Carol C. Baskin, Plant ecology of cedar glades in the Big Barren region of Kentucky 545-557
- Bigelow, Howard E., Studies on New England Agarics II 404-416
- Bouchard, André, Stuart Hay and Ernest Rouleau, The vascular flora of St. Barbe South District, Newfoundland: An interpretation based on biophysiological areas 228-308
- Brown, Lauren, *Euphorbia dentata* in Connecticut 598
- Campbell, C. S. and L. M. Eastman, Contributions to the vascular flora of Oxford County, Maine 309-316
- Canada, *Isotria medeoloides*, the smaller whorled *Pogonia*, new to 587-590
- Carex wiegandii* Mackenzie (Cyperaceae): New for Pennsylvania 451
- Catling, Paul M., Taxonomic notes on *Spiranthes casei* Catling & Cruise and *Spiranthes* × *intermedia* Ames 377-389
- Cedar glades in the Big Barren region of Kentucky, Plant ecology of 545-557
- Centaurium pulchellum* in New England 448
- Chimaphila maculata* (L.) Pursh in Maine, New stations for 317
- Chromosomes of Mexican *Sedum* II. Section *Pachysedum* 491-512
- Chromosome number of *Gaultheria procumbens* L. (Ericaceae), Notes on the 594, 595
- Chromosome numbers of miscellaneous United States dicotyledons 431-440
- Connecticut, *Euphorbia dentata* in 598
- Contributions to the vascular flora of Oxford County, Maine 309-316
- Crow, Garrett E., A taxonomic revision of *Sagina* (Caryophyllaceae) in North America 1-91
- Desmids (Desmiales, Chlorophyta) of southern Wisconsin hard waters, On the planktonic and epiphytic 528-544

- Desmids 528-544; study sites 531; range of chemical conditions 540, 541; water chemistry conditions 539
- Development of diatom communities on Potamogeton robbinsii Oakes 417-430
- Diatom communities on Potamogeton robbinsii Oakes, Development of 417-430
- Eastman, L. M., New stations for Chimaiphila maculata (L.) Pursh in Maine 317
- Eastman, L. M., See Campbell, C. S.
- Eragrostis (Gramineae) in the southeastern United States, Notes on the genus 390-403
- Eragrostis 390-403; atrovirens 393; bahiensis 393; cumingii 395; elliotii 396; minor 397; secundiflora ssp. oxylepis 397; tenella 399; tracyi 400
- Eupatorium (Compositae), Putative hybridization in the genus 513-527
- Eupatorium 513-527; fernaldii 513; meiosis in 518, 523; morphological comparison of 516, descriptions of 524; saltuense 521; semiserratum  $\times$  lechaeifolium 517; sessilifolium  $\times$  perfoliatum 515
- Euphorbia dentata in Connecticut 598
- Euphorbia dentata in New England 449
- Ferns (Filicales), New England 558-569
- Fern hybrid Osmunda  $\times$  Ruggii, New observations on the royal 92-106
- Flora of St. Barbe South District, Newfoundland: An interpretation based on biophysiographic areas, The vascular 228-308
- Florida, Watercress in 147-153
- Fungi from Nantucket salt marshes and beaches 581-586
- Gaspé Peninsula, An addition to the flora of 154
- Gaultheria procumbens L. (Ericaceae), Notes on the chromosome number of 594, 595
- Georgia, A new species of Xyris (sect. Xyris) from Tennessee and northwestern 444-447
- Gessner, R. V. and B. J. Lamore, Fungi from Nantucket salt marshes and beaches 581-586
- Gough, Stephen B., On the planktonic and epiphytic desmids (Desmidiaceae, Chlorophyta) of southern Wisconsin hard waters 528-544
- Guide to the literature on the herbaceous vascular flora of Ontario, James L. Hodgins (Notice of Publication) 452
- Hay, Stuart, See Bouchard, André and Ernest Rouleau
- Hellquist, C. B., Potamogeton gramineus with adnate stipules 591-593
- Hodgdon, Albion R., Obit. 599-604
- Hybrid Osmunda  $\times$  Ruggii, New observations on the royal fern 92-106
- Hybridization in the genus Eupatorium (Compositae), Putative 513-527
- Illinois, Basicladia chelonum (Collins) Hoffman & Tilden and Basicladia crassa Hoffman & Tilden (Cladophorales) in southern 441-443
- Isotria medeoloides, the smaller whorled Pogonia, new to Canada 587-590
- Isozyme variation in natural populations of Juniperus ashei, Analysis of 107-134
- Jones, Almut G., The taxonomy of Aster section Multiflori (Asteraceae) I. Nomenclatural review and formal presentation of taxa 319-357
- Jones, Almut G., The taxonomy of Aster section Multiflori (Asteraceae) II. Biosystematic investigations 453-490
- Juniperus ashei, Analysis of isozyme variation in natural populations of 107-134

- Keil, David J., Revision of *Pectis* section *Pectidium* (Compositae : Tageteae) 135-146
- Kelley, Walter A. and Robert P. Adams, Analysis of isozyme variation in natural populations of *Juniperus ashei* 107-134
- Kentucky, Plant ecology of cedar glades in the Big Barren region of 545-557
- Koch, Stephen D., Notes on the genus *Eragrostis* (Gramineae) in the southeastern United States 390-403
- Kovanda, Miloslav, Chromosome numbers of miscellaneous United States dicotyledons 431-440
- Kral, Robert, A new species of *Xyris* (sect. *Xyris*) from Tennessee and northwestern Georgia 444-447
- Lamore, B. J., See Gessner, R. V.
- Lesser Antilles, Pteridophyta of the (Book Review) 156, 157
- Lipsey, Louis L., Jr., *Basiacladia chelonum* (Collins) Hoffman & Tilden and *Basiacladia crassa* Hoffman & Tilden (Cladophorales) in southern Illinois 441-443
- McNelly, Nancy A., *Euphorbia dentata* in New England 449
- Maine, Contributions to the vascular flora of Oxford County 309-316
- Maine, New stations for *Chimaphila maculata* (L.) Pursh in 317
- Mexican Sedum II. Section *Pachysedum*, Chromosomes of 491-512
- Mexican species of *Phyllanthus* (Euphorbiaceae) with southern hemisphere affinities, A new 570-574
- Miller, C. N., Jr., See Wagner, W. H., Jr., F. S. Wagner and D. H. Wagner
- Nantucket salt marshes and beaches, Fungi from 581-586
- National list of scientific plant names (Notice from the Smithsonian Institution) 318
- Nerisyrenia* (Cruciferae), Taxonomy of 159-227
- Nerisyrenia* 159-227; *camporum* 207; *castillonii* 201; chromosome numbers for 162, 163; compound number and identity, chromatographic properties, ultraviolet absorption maxima of flavonoids of 174-181; distribution of flavonoids 184; divergence index values for species of 190; *gracilis* 220; *gypsophila* sp. nov. 214; *incana* 205; *johnstonii* sp. nov. 198; *linearifolia* 215, var. *linearifolia* 217, var. *mexicana* var. nov. 216; populations examined for flavonoids 169; *powelli* sp. nov. 221; *turneri* sp. nov. 200
- Nesom, Guy L., Notes on the chromosome number of *Gaultheria procumbens* L. (Ericaceae) 594, 595
- New England Agarics II, Studies on 404-416
- New England, *Centaureum pulchellum* in 448
- New England, *Euphorbia dentata* in 449
- New England ferns (Filicales) 558-569
- Newfoundland: An interpretation based on biophysiographic areas, The vascular flora of St. Barbe South District 228-308
- New Hampshire trees, Range extensions of two 155
- New Mexican species of *Phyllanthus* (Euphorbiaceae) with southern affinities, A 570-574
- New observations on the royal fern hybrid *Osmunda*  $\times$  *Ruggii* 92-106
- New species of *Xyris* (sect. *Xyris*) from Tennessee and northwestern Georgia 444-447
- New stations for *Chimaphila maculata* (L.) Pursh in Maine 317
- North America, Taxonomic revision of *Sagina* (Caryophyllaceae) in 1-91
- Notes on the chromosome number of *Gaultheria procumbens* L. (Ericaceae) 594, 595

- Notes on the flora of Rhode Island 596, 597
- Notes on the genus *Eragrostis* (Gramineae) in the southeastern United States 390-403
- Notice from the Smithsonian Institution 318
- Notice of Publication: Guide to the literature on the herbaceous vascular flora of Ontario 452
- Ohio, Submersed aquatic vascular plants in ice-covered ponds of central 575-580
- Osmunda*  $\times$  *Ruggii*, New observations on the royal fern hybrid 92-106
- Pectis* section *Pectidium* (Compositae: Tageteae), Revision of 135-146
- Pectis* 135-146; *imberbis* 143; *linifolia* 139; *linifolia* var. *hirtella* 141, var. *linifolia* 140; new chromosome counts for 145
- Pennsylvania, *Carex wiegandii* Mackenzie (Cyperaceae): New for 451
- Phyllanthus* (Euphorbiaceae) with southern hemisphere affinities, A new Mexican species of 570-574
- Phyllanthus harrimanii* sp. nov. 570; sect. *Lysiandra* stat. nov. 573
- Planktonic and epiphytic desmids (Desmidiaceae, Chlorophyta) of southern Wisconsin hard waters, On the 528-544
- Plant ecology of cedar glades in the Big Barren region of Kentucky 545-557
- Poole, James P., An addition to the flora of the Gaspe Peninsula 154
- Poole, James P., *Centaurea pulchellum* in New England 448
- Potamogeton gramineus with adnate stipules 591-593
- Potamogeton robbinsii Oakes, Development of diatom communities on 417-430
- Psilocybe bullacea* 413; *coprophila* 409; *merdaria* 411; *thrausta* 407; *rhombispora* 415
- Pteridophyta of the Lesser Antilles (Book review) 156, 157
- Putative hybridization in the genus *Eupatorium* (Compositae) 513-527
- Range extensions of two New Hampshire trees 155
- Revision of *Pectis* section *Pectidium* (Compositae: Tageteae) 135-146
- Rhode Island, Notes on the flora of 596, 597
- Rollins, Reed C., Watercress in Florida 147-153
- Rothrock, Paul E., *Carex wiegandii* Mackenzie (Cyperaceae): New for Pennsylvania 451
- Rouleau, Ernest, See Bouchard, André and Stuart Hay
- Sagina* (Caryophyllaceae) in North America, A taxonomic revision of 1-91
- Sagina* 1-91; *apetala* 73; *caespitosa* 57; chromosome numbers for taxa of 85-87; comparative features of sects. *Sagina* & *Maxima* 21; *decumbens* ssp. *decumbens* 61, ssp. *occidentalis* comb. nov. 68; *japonica* 82; *maxima* ssp. *crassicaulis* comb. nov. 78, ssp. *maxima* 77; *nivalis* 54; *nodosa* ssp. *borealis* ssp. nov. 28, ssp. *nodosa* 25; *procumbens* 42; *saginoides* 34; *subulata* 51
- Sedum* II. Section *Pachysedum*, Chromosomes of Mexican 491-512
- Sedum* 491-512; *adolphii* 493; *amecamecanum* 493; *batallae* 494; chromosome numbers in sect. *Pachysedum* 507; *clavatum* 495; *confusum* 495; *corynephyllum* 495; *craigii* 497; *cremnophila* 497; *cuspidatum* 498; *decumbens* 495; *dendroideum* 499; *hultenii* 499; *lucidum* 499;  $\times$  *luteoviride* 500; *macdougallii* 501; *pachyphyllum* 501; *praetaltum* 501; *rubrotinctum* 503; sp. 504; *suaveolens* 503; *treleasei* 504

- Siver, Peter A., Development of diatom communities on Potamogeton robbinsii Oakes 417-430
- Smithsonian Institution, Notice from the 318
- Spiranthes casei Catling & Cruise and Spiranthes  $\times$  intermedia Ames, Taxonomic notes on 377-389
- Steele, Frederic L., Range extensions of two New Hampshire trees 155
- Stewart, William G., Isotria medeoloides, the smaller whorled Pogonia, new to Canada 587-590
- Stropharia coronilla 404; hardii 405
- Stuckey, Ronald L., John R. Wehrmeister and Robert J. Bartolotta, Submersed aquatic vascular plants in ice-covered ponds of central Ohio 575-580
- Studies on New England Agarics II 404-416
- Submersed aquatic vascular plants in ice-covered ponds of central Ohio 575-580
- Sullivan, Victoria I., Putative hybridization in the genus Eupatorium (Compositae) 513-527
- Sundell, Eric, Three additions to the Vermont flora 450
- Systematics, distribution, and nomenclature of the polymorphic Vaccinium angustifolium 358-376
- Taxonomic notes on Spiranthes casei Catling & Cruise and Spiranthes  $\times$  intermedia Ames 377-389
- Taxonomic revision of Sagina (Caryophyllaceae) in North America, A 1-91
- Taxonomy of Aster section Multiflori (Asteraceae) I. Nomenclatural review and formal presentation of taxa 319-357
- Taxonomy of Aster section Multiflori (Asteraceae) II. Biosystematic investigations 453-490
- Taxonomy of Nerisyrenia (Cruciferae) 159-227
- Tennessee and northwestern Georgia, A new species of Xyris (sect. Xyris) from 444-44
- Three additions to the Vermont flora 450
- Tryon, Alice F., New England ferns (Filicales) 558-569
- Tryon, Rolla, Pteridophyta of the Lesser Antilles (Book review) 156, 157
- Tucker, Gordon C., Notes on the flora of Rhode Island 596, 597
- Uhl, Charles H., Chromosomes of Mexican Sedum II. Section Pachysedum 491-512
- United States dicotyledons, Chromosome numbers of miscellaneous 431-440
- United States, Notes on the genus Eragrostis (Gramineae) in the southeastern 390-403
- Vaccinium angustifolium, Systematics, distribution, and nomenclature of the polymorphic 358-376
- Vaccinium angustifolium 358-376; distribution of progeny from berries of 365; foraging behaviour of Bombus on 365; frequency of occurrence of species on sites 368; reciprocal crosses among species of 369; taxonomy of 363
- Vander Kloet, S. P., Systematics, distribution, and nomenclature of the polymorphic Vaccinium angustifolium 358-376
- Vascular flora of St. Barbe South District, Newfoundland: An interpretation based on biophysiological areas 228-308
- Vermont flora, Three additions to the 450
- Wagner, D. H., See Wagner, W. H., Jr., F. S. Wagner and C. N. Miller, Jr.
- Wagner, F. S., See Wagner, W. H., Jr., C. N. Miller, Jr., and D. H. Wagner

- Wagner, W. H., Jr., F. S. Wagner, C. N. Miller, Jr., and D. H. Wagner, New observations on the royal fern hybrid *Osmunda*  $\times$  *Ruggii* 92-106  
Watercress in Florida 147-153
- Webster, Grady L., A new Mexican species of *Phyllanthus* (Euphorbiaceae) with southern hemisphere affinities 570-574
- Wehrmeister, John R., See Stuckey, Ronald L. and Robert J. Bartolotta
- Wisconsin hard waters, On the planktonic and epiphytic desmids (Desmidiaceae, Chlorophyta) of southern 528-544
- Xyris (sect. Xyris) from Tennessee and northwestern Georgia, A new species of 444-447  
*Xyris tennesseensis* sp. nov. 444

